


## AC Motor Start Capacitor Part Number System



AC MOTOR START CAPACITOR  
HEAVY DUTY(TYPE I)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS1-1R1064	64-76	110	1	1 7/16	2 3/4	100
DS1-1R1072	72-86	110	1	1 7/16	2 3/4	100
DS1-1R1088	88-108	110	1	1 7/16	2 3/4	100
DS1-1R10108	108-130	110	1	1 7/16	2 3/4	100
DS1-1R10130	130-156	110	1	1 7/16	2 3/4	100
DS1-2R10145	145-174	110	2	1 7/16	3 3/8	100
DS1-2R10161	161-193	110	2	1 7/16	3 3/8	100
DS1-2R10189	189-227	110	2	1 7/16	3 3/8	100
DS1-2R10216	216-259	110	2	1 7/16	3 3/8	100
DS1-4R10233	233-280	110	4	1 13/16	3 3/8	64
DS1-4R10243	243-292	110	4	1 13/16	3 3/8	64
DS1-4R10250	250-300	110	4	1 13/16	3 3/8	64
DS1-4R10270	270-324	110	4	1 13/16	3 3/8	64
DS1-4R10324	324-389	110	4	1 13/16	3 3/8	64
DS1-4R10340	340-408	110	4	1 13/16	3 3/8	64
DS1-4R10400	400-480	110	4	1 13/16	3 3/8	64
DS1-4R10430	430-516	110	4	1 13/16	3 3/8	64
DS1-4R10460	460-552	110	4	1 13/16	3 3/8	64
DS1-4R10540	540-648	110	4	1 13/16	3 3/8	64
DS1-7R10645	645-774	110	7	2 1/16	4 3/8	49
DS1-7R10815	815-978	110	7	2 1/16	4 3/8	49
DS1-7R10850	850-1020	110	7	2 1/16	4 3/8	49
DS1-1R1264	64-76	125	1	1 7/16	2 3/4	100
DS1-1R1272	72-86	125	1	1 7/16	2 3/4	100
DS1-1R1288	88-106	125	1	1 7/16	2 3/4	100
DS1-1R12108	108-130	125	1	1 7/16	2 3/4	100
DS1-1R12130	130-156	125	1	1 7/16	2 3/4	100
DS1-2R12145	145-174	125	2	1 7/16	3 3/8	100
DS1-2R12161	161-193	125	2	1 7/16	3 3/8	100
DS1-2R12189	189-227	125	2	1 7/16	3 3/8	100
DS1-2R12216	216-259	125	2	1 7/16	3 3/8	100
DS1-4R12233	233-280	125	4	1 13/16	3 3/8	64
DS1-4R12243	243-292	125	4	1 13/16	3 3/8	64
DS1-4R12270	270-324	125	4	1 13/16	3 3/8	64
DS1-4R12324	324-389	125	4	1 13/16	3 3/8	64
DS1-4R12340	340-408	125	4	1 13/16	3 3/8	64
DS1-4R12378	378-454	125	4	1 13/16	3 3/8	64

AC MOTOR START CAPACITOR  
HEAVY DUTY(TYPE I)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS1-4R12400	400-480	125	4	1 13/16	3 3/8	64
DS1-4R12430	430-516	125	4	1 13/16	3 3/8	64
DS1-4R12460	460-552	125	4	1 13/16	3 3/8	64
DS1-4R12540	540-648	125	4	1 13/16	3 3/8	64
DS1-7R12645	645-774	125	7	2 1/16	4 3/8	49
DS1-7R12815	815-978	125	7	2 1/16	4 3/8	49
DS1-7R12850	850-1020	125	7	2 1/16	4 3/8	49
DS1-4R16130	130-157	165	4	1 13/16	3 3/8	64
DS1-4R16145	145-174	165	4	1 13/16	3 3/8	64
DS1-4R16161	161-193	165	4	1 13/16	3 3/8	64
DS1-4R16189	189-227	165	4	1 13/16	3 3/8	64
DS1-5R16216	216-259	165	5	1 13/16	4 3/8	64
DS1-7R16243	243-292	165	7	2 1/16	4 3/8	49
DS1-7R16270	270-324	165	7	2 1/16	4 3/8	49
DS1-7R16340	340-408	165	7	2 1/16	4 3/8	49
DS1-2R2230	30-36	220	2	1 7/16	3 3/8	100
DS1-2R2236	36-43	220	2	1 7/16	3 3/8	100
DS1-2R2243	43-52	220	2	1 7/16	3 3/8	100
DS1-2R2253	53-64	220	2	1 7/16	3 3/8	100
DS1-4R2272	72-86	220	4	1 13/16	3 3/8	100
DS1-4R2288	88-106	220	4	1 13/16	3 3/8	64
DS1-4R22108	108-130	220	4	1 13/16	3 3/8	64
DS1-4R22130	124-148	220	4	1 13/16	3 3/8	64
DS1-5R22130	130-156	220	5	1 13/16	4 3/8	64
DS1-6R22145	145-174	220	6	2 1/16	3 3/8	49
DS1-6R22161	161-193	220	6	2 1/16	3 3/8	49
DS1-7R22189	189-227	220	7	2 1/16	4 3/8	49
DS1-7R22216	216-259	220	7	2 1/16	4 3/8	49
DS1-7R22233	233-280	220	7	2 1/16	4 3/8	49
DS1-7R22270	270-324	220	7	2 1/16	4 3/8	49
DS1-7R22324	324-389	220	7	2 1/16	4 3/8	49
DS1-8R22340	340-408	220	8	2 9/16	4 3/8	25
DS1-8R22400	400-480	220	8	2 9/16	4 3/8	25
DS1-2R2530	30-36	250	2	1 7/16	3 3/8	100
DS1-2R2536	36-43	250	2	1 7/16	3 3/8	100
DS1-2R2543	43-52	250	2	1 7/16	3 3/8	100
DS1-2R2553	53-64	250	2	1 7/16	3 3/8	100

AC MOTOR START CAPACITOR  
HEAVY DUTY(TYPE I)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS1-2R2564	64-76	250	2	1 7/16	3 3/8	100
DS1-4R2572	72-86	250	4	1 13/16	3 3/8	64
DS1-4R2588	88-106	250	4	1 13/16	3 3/8	64
DS1-4R25108	108-130	250	4	1 13/16	3 3/8	64
DS1-4R25124	124-148	250	4	1 13/16	3 3/8	64
DS1-5R25130	130-156	250	5	1 13/16	4 3/8	64
DS1-6R25145	145-174	250	6	2 1/16	3 3/8	49
DS1-6R25161	161-193	250	6	2 1/16	3 3/8	49
DS1-7R25189	189-227	250	7	2 1/16	4 3/8	49
DS1-7R25216	216-259	250	7	2 1/16	4 3/8	49
DS1-7R25233	233-280	250	7	2 1/16	4 3/8	49
DS1-7R25270	270-324	250	7	2 1/16	4 3/8	49
DS1-7R25324	324-389	250	7	2 1/16	4 3/8	49
DS1-8R25340	340-408	250	8	2 9/16	4 3/8	25
DS1-8R25400	400-480	250	8	2 9/16	4 3/8	25
DS1-2R3321	21-25	330	2	1 7/16	3 3/8	100
DS1-2R3325	25-30	330	2	1 7/16	3 3/8	100
DS1-2R3330	30-36	330	2	1 7/16	3 3/8	100
DS1-2R3336	36-43	330	2	1 7/16	3 3/8	100
DS1-2R3343	43-51	330	2	1 7/16	3 3/8	100
DS1-4R3353	53-64	330	4	1 13/16	3 3/8	64
DS1-4R3364	64-76	330	4	1 13/16	3 3/8	64
DS1-4R3372	72-86	330	4	1 13/16	3 3/8	64
DS1-4R3388	88-106	330	4	1 13/16	3 3/8	64
DS1-4R33108	108-129	330	4	1 13/16	3 3/8	64
DS1-5R33130	130-156	330	5	1 13/16	4 3/8	64
DS1-5R33145	145-174	330	5	1 13/16	4 3/8	64
DS1-6R33161	161-193	330	6	2 1/16	3 3/8	49
DS1-7R33189	189-227	330	7	2 1/16	4 3/8	49
DS1-8R33216	216-259	330	8	2 9/16	4 3/8	25
DS1-8R33270	270-324	330	8	2 9/16	4 3/8	25
DS1-8R33324	324-389	330	8	2 9/16	4 3/8	25
DS1-8R33405	405-486	330	8	2 9/16	4 3/8	25

AC MOTOR START CAPACITOR  
STANDARD DUTY(TYPE II)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS2-1R1030	30-36	110	1	1 7/16	2 3/4	100
DS2-1R1053	53-64	110	1	1 7/16	2 3/4	100
DS2-1R1088	88-106	110	1	1 7/16	2 3/4	100
DS2-1R10108	108-130	110	1	1 7/16	2 3/4	100
DS2-1R10130	130-156	110	1	1 7/16	2 3/4	100
DS2-1R10145	145-174	110	1	1 7/16	2 3/4	100
DS2-1R10161	161-193	110	1	1 7/16	2 3/4	100
DS2-1R10189	189-227	110	1	1 7/16	2 3/4	100
DS2-1R10216	216-259	110	1	1 7/16	2 3/4	100
DS2-1R10233	233-280	110	1	1 7/16	2 3/4	100
DS2-1R10243	243-292	110	1	1 7/16	2 3/4	100
DS2-1R10270	270-324	110	1	1 7/16	2 3/4	100
DS2-1R10324	324-389	110	1	1 7/16	2 3/4	100
DS2-2R10340	340-408	110	2	1 7/16	3 3/8	100
DS2-2R10378	378-454	110	2	1 7/16	3 3/8	100
DS2-2R10400	400-480	110	2	1 7/16	3 3/8	100
DS2-2R10430	430-516	110	2	1 7/16	3 3/8	100
DS2-2R10460	460-552	110	2	1 7/16	3 3/8	100
DS2-4R10540	540-648	110	4	1 13/16	3 3/8	64
DS2-4R10590	590-708	110	4	1 13/16	3 3/8	64
DS2-4R10708	708-850	110	4	1 13/16	3 3/8	64
DS2-7R10815	815-978	110	7	2 1/16	4 3/8	49
DS2-7R101000	1000-1200	110	7	2 1/16	4 3/8	49
DS2-1R1230	30-36	125	1	1 7/16	2 3/4	100
DS2-1R1253	53-64	125	1	1 7/16	2 3/4	100
DS2-1R1288	88-106	125	1	1 7/16	2 3/4	100
DS2-1R12108	108-130	125	1	1 7/16	2 3/4	100
DS2-1R12130	130-156	125	1	1 7/16	2 3/4	100
DS2-1R12145	145-174	125	1	1 7/16	2 3/4	100
DS2-1R12161	161-193	125	1	1 7/16	2 3/4	100
DS2-1R12189	189-227	125	1	1 7/16	2 3/4	100
DS2-1R12216	216-259	125	1	1 7/16	2 3/4	100
DS2-1R12233	233-280	125	1	1 7/16	2 3/4	100
DS2-1R12243	243-292	125	1	1 7/16	2 3/4	100
DS2-1R12270	270-324	125	1	1 7/16	2 3/4	100
DS2-1R12324	324-389	125	1	1 7/16	2 3/4	100
DS2-2R12340	340-408	125	2	1 7/16	3 3/8	100
DS2-2R12378	378-454	125	2	1 7/16	3 3/8	100
DS2-2R12400	400-480	125	2	1 7/16	3 3/8	100
DS2-2R12430	430-516	125	2	1 7/16	3 3/8	100
DS2-2R12460	460-552	125	2	1 7/16	3 3/8	100
DS2-4R12540	540-648	125	4	1 13/16	3 3/8	64
DS2-4R12590	590-708	125	4	1 13/16	3 3/8	64
DS2-4R12708	708-850	125	4	1 13/16	3 3/8	64
DS2-7R12815	815-978	125	7	2 1/16	4 3/8	49
DS2-7R121000	1000-1200	125	7	2 1/16	4 3/8	49
DS2-1R1630	30-36	165	1	1 7/16	2 3/4	100
DS2-1R1643	43-51.6	165	1	1 7/16	2 3/4	100

AC MOTOR START CAPACITOR  
STANDARD DUTY(TYPE II)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS2-1R1653	53-64	165	1	1 7/16	2 3/4	100
DS2-1R1672	72-86	165	1	1 7/16	2 3/4	100
DS2-1R1688	88-106	165	1	1 7/16	2 3/4	100
DS2-1R16108	108-130	165	1	1 7/16	2 3/4	100
DS2-1R16124	124-148	165	1	1 7/16	2 3/4	100
DS2-1R16130	130-156	165	1	1 7/16	2 3/4	100
DS2-1R16145	145-174	165	1	1 7/16	2 3/4	100
DS2-1R16161	161-193	165	1	1 7/16	2 3/4	100
DS2-1R16189	189-227	165	1	1 7/16	2 3/4	100
DS2-1R16216	216-259	165	1	1 7/16	2 3/4	100
DS2-1R16233	233-280	165	1	1 7/16	2 3/4	100
DS2-2R16270	270-324	165	2	1 7/16	3 3/8	100
DS2-4R16324	324-389	165	4	1 13/16	3 3/8	64
DS2-4R16340	340-408	165	4	1 13/16	3 3/8	64
DS2-4R16378	378-454	165	4	1 13/16	3 3/8	64
DS2-4R16400	400-480	165	4	1 13/16	3 3/8	64
DS2-4R16430	430-516	165	4	1 13/16	3 3/8	64
DS2-4R16460	460-552	165	4	1 13/16	3 3/8	64
DS2-4R16540	540-648	165	4	1 13/16	3 3/8	64
DS2-5R16590	590-708	165	5	1 13/16	4 3/8	64
DS2-5R16708	708-850	165	5	1 13/16	4 3/8	64
DS2-7R16810	810-972	165	7	2 1/16	4 3/8	49
DS2-7R161000	1000-1200	165	7	2 1/16	4 3/8	49
DS2-1R2221	21-25	220	1	1 7/16	2 3/4	100
DS2-1R2225	25-30	220	1	1 7/16	2 3/4	100
DS2-1R2230	30-36	220	1	1 7/16	2 3/4	100
DS2-1R2236	36-43	220	1	1 7/16	2 3/4	100
DS2-1R2243	43-52	220	1	1 7/16	2 3/4	100
DS2-1R2253	53-64	220	1	1 7/16	2 3/4	100
DS2-4R2272	72-86	220	4	1 13/16	3 3/8	64
DS2-4R2288	88-106	220	4	1 13/16	3 3/8	64
DS2-4R22108	108-130	220	4	1 13/16	3 3/8	64
DS2-4R22130	130-156	220	4	1 13/16	3 3/8	64
DS2-4R22145	145-174	220	4	1 13/16	3 3/8	64
DS2-6R22189	189-227	220	6	2 1/16	3 3/8	49
DS2-6R22216	216-259	220	6	2 1/16	3 3/8	49
DS2-7R22233	233-280	220	7	2 1/16	4 3/8	49
DS2-7R22270	270-324	220	7	2 1/16	4 3/8	49
DS2-7R22324	324-389	220	7	2 1/16	4 3/8	49
DS2-7R22340	340-408	220	7	2 1/16	4 3/8	49
DS2-8R22400	400-480	220	8	2 9/16	4 3/8	25
DS2-8R22430	430-516	220	8	2 9/16	4 3/8	25
DS2-1R2521	21-25	250	1	1 7/16	2 3/4	100
DS2-1R2525	25-30	250	1	1 7/16	2 3/4	100
DS2-1R2530	30-36	250	1	1 7/16	2 3/4	100
DS2-1R2536	36-43	250	1	1 7/16	2 3/4	100
DS2-1R2543	43-52	250	1	1 7/16	2 3/4	100
DS2-1R2553	53-64	250	1	1 7/16	2 3/4	100

AC MOTOR START CAPACITOR  
STANDARD DUTY(TYPE II)



Part Description	Cap $\mu$ F	Vac	Case Code	Diameter	Length	Full Box Qty
DS2-4R2572	72-86	250	4	1 13/16	3 3/8	64
DS2-4R2588	88-106	250	4	1 13/16	3 3/8	64
DS2-4R25108	108-130	250	4	1 13/16	3 3/8	64
DS2-4R25130	130-156	250	4	1 13/16	3 3/8	64
DS2-4R25145	145-174	250	4	1 13/16	3 3/8	64
DS2-6R25189	189-227	250	6	2 1/16	3 3/8	49
DS2-6R25216	216-259	250	6	2 1/16	3 3/8	49
DS2-7R25233	233-280	250	7	2 1/16	4 3/8	49
DS2-7R25270	270-324	250	7	2 1/16	4 3/8	49
DS2-7R25324	324-389	250	7	2 1/16	4 3/8	49
DS2-7R25340	340-408	250	7	2 1/16	4 3/8	49
DS2-8R25400	400-480	250	8	2 9/16	4 3/8	25
DS2-8R22430	430-516	250	8	2 9/16	4 3/8	25
DS2-2R3325	25-30	330	2	1 7/16	3 3/8	100
DS2-4R3353	53-64	330	4	1 13/16	3 3/8	64
DS2-4R3372	72-86	330	4	1 13/16	3 3/8	64
DS2-4R3388	88-106	330	4	1 13/16	3 3/8	64
DS2-7R33130	130-156	330	7	2 1/16	4 3/8	49
DS2-7R33161	161-193	330	7	2 1/16	4 3/8	49
DS2-7R33189	189-227	330	7	2 1/16	4 3/8	49
DS2-7R33216	216-259	330	7	2 1/16	4 3/8	49
DS2-7R33270	270-324	330	7	2 1/16	4 3/8	49
DS2-8R33340	340-408	330	8	2 9/16	4 3/8	25
DS2-8R33378	378-454	330	8	2 9/16	4 3/8	25
DS2-8R33400	400-480	330	8	2 9/16	4 3/8	25
DS2-8R33460	460-552	330	8	2 9/16	4 3/8	25